

### Amendments to the Claims

**1. (Original)** An aqueous liquid preparation comprising 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof, and an alkyl aryl polyether alcohol type polymer or a polyethylene glycol fatty acid ester.

**2. (Original)** The aqueous liquid preparation according to claim 1, wherein the alkyl aryl polyether alcohol type polymer has a polymerization degree of 3 to 10, the alkyl contains 1 to 18 carbon atoms, the aryl is a phenyl residue, and the polyether alcohol is represented by the formula  $O(CH_2CH_2O)_xH$  in which X is an integer of 5 to 100.

**3. (Currently amended)** The aqueous liquid preparation according to claim 1 ~~or~~ 2, wherein the alkyl aryl polyether alcohol type polymer is tyloxapol.

**4. (Original)** The aqueous liquid preparation according to claim 1, wherein the carbon number of the fatty acid in the polyethylene glycol fatty acid ester is 12 to 18.

**5. (Currently amended)** The aqueous liquid preparation according to claim 1 ~~or~~ 4, wherein the polyethylene glycol fatty acid ester is polyethylene glycol monostearate.

**6. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 3~~ claim 1, wherein the concentration of the alkyl aryl polyether alcohol type polymer is selected from a range of minimum concentration of 0.01 w/v % to maximum concentration of 0.5 w/v %.

**7. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1, 2 or 4~~ claim 1, wherein the concentration of the polyethylene glycol fatty acid ester is selected from a range of minimum concentration of 0.02 w/v % to maximum concentration of 0.1 w/v %.

**8. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 7~~ claim 1, wherein the concentration of the 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof is 0.01 to 0.5 w/v %.

**9. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 8~~ claim 1, wherein benzalkonium chloride is contained as a preservative.

**10. (Currently amended)** The aqueous liquid preparation according to ~~any one of 1 to 9~~ claim 1, wherein the pharmacologically acceptable salt of 2-amino-3-(4-bromobenzoyl)phenylacetic acid is a sodium salt.

**11. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 10~~ claim 1, wherein the pH of the aqueous liquid preparation is within a range of 7 to 9.

**12. (Original)** The aqueous liquid preparation according to claim 11, wherein the pH of the aqueous liquid preparation is within a range of 7.5 to 8.5.

**13. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 12~~ claim 1, wherein the aqueous liquid preparation is an eye drop.

**14. (Currently amended)** The aqueous liquid preparation according to ~~any one of claims 1 to 12~~ claim 1, wherein the aqueous liquid preparation is a nasal drop.

**15. (Original)** An eye drop comprising sodium 2-amino-3-(4-bromobenzoyl)phenylacetate hydrate and 0.01 to 0.5 w/v % of tyloxapol.

**16. (Original)** An eye drop comprising sodium 2-amino-3-(4-bromobenzoyl)phenylacetate

hydrate and 0.02 to 0.1 w/v % of polyethylene glycol monostearate.

**17. (Original)** A method for stabilizing 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof in an aqueous liquid preparation, which comprises incorporating tyloxapol or polyethylene glycol monostearate into an aqueous liquid preparation containing 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof.

**18. (Original)** A method for inhibiting decrease in preservative effect of a preservative in an aqueous liquid preparation of 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof, which comprises incorporating tyloxapol or polyethylene glycol monostearate into an aqueous liquid preparation containing 2-amino-3-(4-bromobenzoyl)phenylacetic acid or a pharmacologically acceptable salt thereof or a hydrate thereof and a preservative.